

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
9 December 2004 (09.12.2004)

PCT

(10) International Publication Number
WO 2004/105487 A1

(51) International Patent Classification⁷: A01N 25/22, A61K 7/42

(21) International Application Number:
PCT/GB2004/002191

(22) International Filing Date: 21 May 2004 (21.05.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0312703.2 3 June 2003 (03.06.2003) GB

(71) Applicant (for all designated States except US): OXON-ICA LIMITED [GB/GB]; Unit 7, Begbroke Science & Business Park, Sandy Lane, Kidlington, Oxfordshire OX5 1PF (GB).

(72) Inventor; and

(75) Inventor/Applicant (for US only): ANDERSON, Stuart, James [GB/GB]; Oxonica Limited, Unit 7, Begbroke Science & Business Park, Sandy Lane, Kidlington, Oxfordshire OX5 1PF (GB).

(74) Agents: BENSON, John, Everett et al.; J.A. Kemp & Co., 14 South Square, Gray's Inn, London WC1R 5JJ (GB).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: AGRICULTURAL, HORTICULTURAL AND VETERINARY COMPOSITIONS

(57) Abstract: A composition suitable for veterinary, agricultural or horticultural use is disclosed which comprises at least one organic veterinarily, agriculturally and/or horticulturally active compound, and titanium dioxide and/or zinc oxide which has been doped with a second element and/or reduced zinc oxide as well as a composition suitable for household use which comprises at least one organic biocide and one of the specified oxides.

WO 2004/105487 A1

AGRICULTURAL, HORTICULTURAL AND VETERINARY COMPOSITIONS

The present invention relates to compositions suitable for use in agriculture, horticulture and veterinary medicine.

5 It is well known that many of the active ingredients of veterinary, agricultural and horticultural compositions such as herbicides and insecticides are adversely affected by UV light. Such organic compounds have a tendency to degrade or decompose under the influence of UV light either to inactive compounds or compounds which have an adverse effect upon the area being treated. As a result it is
10 necessary to store these products in special containers which do not allow the penetration of UV light. Otherwise the shelf life of the product is too short.

 It has now surprisingly been found, according to the present invention, that the adverse effects of UV light on such organic compounds can be reduced and/or eliminated by incorporating in the composition titanium dioxide and/or zinc oxide
15 which has been doped with a second element and/or reduced zinc oxide. In other words by incorporating this specific oxide in the formulation it is possible to dispense with the use of special containers and/or extend the life of the product. In addition its presence enables the user to use less of the product.

 Accordingly, the present invention provides a composition suitable for
20 veterinary, agricultural or horticultural use which comprises at least one organic veterinarally, agriculturally and/or horticulturally active compound, and titanium dioxide and/or zinc oxide which has been doped with a second element and/or reduced zinc oxide as well as a method for treating a veterinary, agricultural or horticultural species at a locus which comprises treating the locus with such a
25 composition.

 While any reduction in the loss of UV absorption is an advantage, it is generally desirable that the presence of the oxide should reduce the rate of UV absorption by an amount of at least a 5%, preferably at least 10%, more preferably at least 15%, especially at least 20% and most preferably at least 40%.

30 The dopant for the oxide particles is preferably manganese, which is

-2-

- especially preferred, e.g. Mn^{2+} but especially Mn^{3+} , vanadium, for example V^{3+} or V^{5+} , chromium and iron but other metals which can be used include nickel, copper, tin, aluminium, lead, silver, zirconium, zinc, cobalt, gallium, niobium, for example Nb^{5+} , antimony, for example Sb^{3+} , tantalum, for example Ta^{5+} , strontium, calcium,
- 5 magnesium, barium, molybdenum, for example Mo^{3+} , Mo^{5+} or Mo^{6+} as well as silicon. Manganese is preferably present as Mn^{3+} , cobalt as Co^{2+} , tin as Sn^{4+} as well as Mn^{2+} . These metals can be incorporated singly or in combination of 2 or 3 or more. Further details of these doped oxides can be found in WO99/60994 as well as WO01/40114.
- 10 The optimum amount of the second component in the host lattice may be determined by routine experimentation. Amounts as low as 0.1 mole % or less, for example 0.05 mole %, or as high as 1 mole % or above, for example 5 mole % or 10 mole %, can generally be used. Typical concentrations are from 0.5 to 2 mole % by weight.
- 15 These particles can be obtained by any one of the standard processes for preparing doped oxides and salts. Thus they can be obtained by a baking technique by combining particles of a host lattice (TiO_2/ZnO) with a second component in the form of a salt such as a chloride or an oxygen-containing anion such as a perchlorate or a nitrate, in solution or suspension, typically in solution in water, and then baking
- 20 it, typically at a temperature of at least 300°C . Other routes which may be used to prepare the doped materials include a precipitation process of the type described in J. Mat. Sci. (1997) 36, 6001-6008 where solutions of the dopant salt and of an alkoxide of the host metal (Ti/Zn) are mixed, and the mixed solution is then heated to convert the alkoxide to the oxide. Heating is continued until a precipitate of the doped
- 25 material is obtained. Further details of preparation can be found in the aforesaid patent specifications.

The rutile form of titania is known to be more photostable than the anatase form and is therefore preferred.

- 30 Reduced zinc oxide particles (i.e. particles which possess an excess of zinc ions relative to the oxygen ions) may be readily obtained by heating zinc oxide

-3-

particles in a reducing atmosphere to obtain reduced zinc oxide particles which absorb UV light, especially UV light having a wavelength below 390 nm, and remit in the green, preferably at about 500 nm. It will be understood that the reduced zinc oxide particles will contain reduced zinc oxide consistent with minimising migration to the surface of the particles of electrons and/or positively charged holes such that when said particles are exposed to UV light in an aqueous environment the production of hydroxyl radicals is substantially reduced as discussed above.

The reducing atmosphere can be air with a reduced oxygen content or an increased hydrogen content but is preferably a mixture of hydrogen and an inert gas such as nitrogen or argon. Typically the concentration of hydrogen is from 1 to 20%, especially 5 to 15%, by volume, with the balance inert gas, especially nitrogen. A preferred reducing atmosphere is about 10% hydrogen and about 90% nitrogen by volume. The zinc oxide is heated in this atmosphere at, say, 500° to 1000°C, generally 750 to 850°C, for example about 800°C, for 5 to 60 minutes, generally 10 to 30 minutes. Typically it is heated to about 800°C for about 20 minutes.

It is believed that the reduced zinc oxide particles possess an excess of Zn^{2+} ions within the absorbing core. These are localised states and as such may exist within the band gap. A further discussion of this can be found in WO 99/60994.

The oxide particles used in the present invention may have an inorganic or organic coating. For example, the particles may be coated with oxides of elements such as aluminium, zirconium or silicon. The particles of metal oxide may also be coated with one or more organic materials such as polyols, amines, alkanolamines, polymeric organic silicon compounds, for example, $RSi[\{OSi(Me)_2\}_xOR^1]_3$, where R is C_1 - C_{10} alkyl, R^1 is methyl or ethyl and x is an integer of from 4 to 12, hydrophilic polymers such as polyacrylamide, polyacrylic acid, carboxymethyl cellulose and xanthan gum or surfactants such as, for example, TOPO.

The average primary particle size of the particles is generally from about 1 to 200 nm, for example about 1 to 150 nm, preferably from about 1 to 100 nm, more preferably from about 1 to 50 nm and most preferably from about 20 to 50 nm.

Where particles are substantially spherical then particle size will be taken to

-4-

represent the diameter. However, the invention also encompasses particles which are non-spherical and in such cases the particle size refers to the largest dimension.

The present invention is applicable to any composition intended for agricultural or horticultural use which contains an organic active ingredient as well as to veterinary compositions containing an organic active ingredient, generally for topical application. Generally the active ingredient will be a biocide but it can be, for example, a plant growth promoter or regulator. Thus the compositions of the present invention are typically herbicides, fungicides, insecticides, bactericides, acaricides, molluscicides, miticides or rodenticides, which can be broad spectrum or selective.

The present invention is particularly useful for fast knockdown insecticides which are badly affected by UV light. Veterinary compositions can take the form of, for example, antiseptic or wound healing preparations.

The compositions of the present invention can also be formulated for household use as with, for example, insecticides and rodenticides. Accordingly, the present invention also provides a composition suitable for household use which comprises at least one organic biocide and titanium dioxide and/or zinc oxide which has been doped with a second element and/or reduced zinc oxide.

The compositions of the present invention can contain any of the organic active ingredients currently employed for such compositions.

Suitable herbicides which can be used in the present invention include triazines, amides, in particular haloacetanilides, carbamates, toluidines (dinitroanilines), ureas, plant growth hormones, in particular phenoxy acids and diphenyl ethers. Thus herbicides which may be used include phenoxy alkanoic acids, bipyridiniums, benzonitriles with phthalic compounds, dinitroanilines, acid amides, carbamates, thiocarbamates, heterocyclic nitrogen compounds including triazines, pyridines, pyridazinones, sulfonylureas, imidazoles and substituted ureas as well as halogenated aliphatic carboxylic acids, some inorganic and organic materials and derivatives of biologically important amino acids. Specific herbicides which can be used in the present invention include 2,4-dichlorophenoxyacetic acid (2,4-D) and 2,4,5-trichlorophenoxyacetic acid (2,4,5-T). Suitable triazines include 2-chloro-, 2-

-5-

methythio-, 2-methoxy-4,6-bis- (alkylamino)-s-triazines as well as some 2-azido-substituted triazines. Typical herbicidal ureas include monuron (3-p-chlorophenyl)-1,1-dimethylurea) as well as diuron, neburon, fenuron and chloroxuron. Suitable carbamates include N-phenylcarbamate and isopropyl carbanilate (propham) and substituted derivatives thereof including isopropyl m-chlorocarbanilate (chlorpropham) as well as barban, swep, dichlormate and terbutol. Suitable thiocarbamates include EPTC, metham, vernolate, CDEC, pebulate, diallate, triallate, butylate, molinate, cycloate, thiobencarb and ethiolate. Suitable amide herbicides include solan, dicryl, propanil, dipehamid, propachlor, alachlor, CDAA, naptalam, butachlor, prynachlor and napropamide. Suitable chlorinated aliphatic acids include trichloroacetic acid (TCA), dalapon and 2,2,3-trichloropropionic acid. Suitable chlorinated benzoic acids include chloramben, DCPA, dicamba, dichlobenil and 2,3,6-TBA. Phenolic herbicides which can be used include bromoxynil, ioxynil, DNOC and dinoseb. Suitable dinitroanilines which can be used include benefin, trifluralin, nitralin, oryzalin, isopropalin, dinitramine, fluchloralin, profluralin and butralin. Suitable bypyridinium herbicides include diquat and paraquat salts and derivatives thereof.

Suitable insecticides which can be used in the present invention include nicotinoids, rotenoids, derivatives of the seeds of sabadilla and the plant ryania speciosa and pyrethroids as well as organochlorine insecticides, organophosphorus insecticides, carbamate insecticides and various insect growth regulators.

Suitable nicotinoids include nicotine sulfate and imidocloprid. The pyrethroids constitute a large group of insecticides most of which are now synthetic including resmethrin, phenothrin, cyphenothrin, empenethrin, prallethrin, permethrin, cypermethrin, alpha cypermethrin, tetramethrin and delta tetramethrin, including their isomers, especially optical isomers along with derivatives of these. Suitable organochlorine insecticides include DDT (dichlorodiphenyltrichloroethane) along with methoxychlor and perthane, as well as lindane, toxaphene, chlordane, heptachlor, aldrin, dieldrin and endrin. Suitable organophosphorus insecticides include phosphoric acid and phosphorothioic acid anhydrides, aliphatic

-6-

phosphorothioate esters along with phenyl phosphorothioate esters, phenyl phosphorodithioate esters, phosphonothioate esters of phenols, vinyl phosphates, phosphorothioate esters of heterocyclic enols and of s-methyl heterocycles. Of these specific mention can be made of parathion, methyl parathion, dicapthon, chlorthion, fenitrothion, fenthion and fensulfothion along with fenchlorphos, cyanophos, propafos and temephos. Suitable carbamate insecticides which can be used include carbaryl, carbofuran, propoxur, dioxacarb, bendiocarb, mexacarbate, isoprocarb and ethiofencarb. Suitable acaricides include chlorfenethol, chlorobenzilate, dicofol, tetradifon, sulphenone, ovex, propargite, cyhexatin and dienochlor.

10 Some of the insecticides given above are suitable for killing rodents but other rodenticides which can be used include acute rodenticides and chronic poisons include anticoagulants; these can be stomach poisons, contact poisons or fumigants. Such anticoagulants include dicoumarol, warfarin, coumatetraly, coumachlor, difenacoum, brodifacoum, bromadiolone, pindone, diphacinone and

15 chlorophacinone.

Insecticides which can be used in the compositions of the present invention can also be in the form of microbial agents since insects are attacked by many pathogens. These include bacterial agents, in particular bacillus microorganisms, especially bacillus thuringiensis (b.t.) strains such as b.t. aizawa, israelensis, kurstaki

20 and tenebrionis, fungal agents, protozoa and viruses.

Suitable fungicides which can be used in the compositions of the present invention include elements such as sulphur, copper, mercury and tin along with thiocarbamate and thiurame derivatives, phthalimides and trichloromethylthiocarboximides, aromatic hydrocarbons and dicarboximides.

25 Specific examples include ferbam, ziram, thiram, zineb, maneb and mancozeb as well as dimethylthiocarbamates and ethylene bis-dithiocarbamates. Other useful fungicides include captan, folpet, captafol and dichlofluanid. Suitable aromatic hydrocarbons include quintozone, dinocap, chloroneb, dichloran, dichlone and chlorothalonil along with oxazolidinediones such as vinclozolin, chlozolate, hydantoin such as iprodione and succinimide such as procymidone. Other fungicides

30

-7-

which can be used include guanidine salts such as dodine, quinones such as dithianon, quinoxalines such as chinomethionat, pyridazines such as diclomezine, thiadiazoles such as etridiazole, pyrroles such as fenpiclonil, quinolines such as ethoxyquin and triazines such as anilazine. Other fungicides which can be used
5 include mitochondrial respiration inhibitors which are generally carboxanilides including carbox, oxycarboxin, flutolanil, fenfuram, mepronil, methfuroxam and metsulfovax. Further fungicides which can be used include microtubuline polymerization inhibitors including thiabendazole, fuberidazole, carbendazim, benomyl and thiophanate methyl. Other suitable fungicides include inhibitors of
10 sterol biosynthesis including C-14 demethylation inhibitors such as triazoles which have a 1,2,4-triazole group attached through the 1-nitrogen to a large lipophilic group, in particular triadimefon, propiconazole, tebuconazole, cyproconazole and tetraconazole along with flusilazole which incorporates a silicon atom, myclobutanil, flutriafol and imibenconazole. Other fungicides which can be used include RNA
15 biosynthesis inhibitors, phospholipid biosynthesis inhibitors, melanin biosynthesis inhibitors, fungal protein biosynthesis inhibitors and cell wall biosynthesis inhibitors.

The compositions of the present invention can be in liquid or solid form. Liquid compositions can be aqueous or non aqueous while solid forms include powders or dusts, granules and tablets. For rodenticides, in particular, the
20 compositions can take the form of a bait, especially a foodstuff, for example grain, which has been treated with the rodenticide and the special oxide.

The concentration of the active ingredient in the composition can vary within a wide range but is typically 0.5 to 95, for example 1 to 50, % by weight.

A composition according to the invention preferably contains from 0.5% to
25 95% by weight (w/w) of active ingredient.

The compositions for agricultural or horticultural use according to the invention generally contain a carrier to facilitate application to the locus to be treated, which may for example be a plant, seed or soil, or to facilitate storage, transport or handling. The carrier may be a solid, or a liquid, as well as material which is
30 normally a gas but which has been compressed to form a liquid.

-8-

The compositions may be in the form of, for example, emulsion concentrates, solutions, oil in water emulsions, wettable powders, soluble powders, suspension concentrates, dusts, granules, water dispersible granules, micro-capsules and gels. Other substances, such as fillers, solvents, solid carriers, surface active compounds
5 (surfactants), and optionally solid and/or liquid auxiliaries and/or adjuvants can be present. The composition can be formulated for dispersing by, for example, spraying, atomizing, dispersing or pouring.

Solvents which may be used include aromatic hydrocarbons, e.g. substituted naphthylenes, phthalic acid esters such as dibutyl or dioctyl phthalate, aliphatic
10 hydrocarbons, e.g. cyclohexane or paraffins, alcohols and glycols as well as their ethers and esters, e.g. ethanol, ethyleneglycol mono- and dimethyl ether, ketones such as cyclohexanone, strongly polar solvents such as N-methyl-2-pyrrolidone or γ -butyrolactone, higher alkyl pyrrolidones, e.g. n-octylpyrrolidone or cyclohexylpyrrolidone, epoxidized plant oil esters, e.g. methylated coconut or
15 soybean oil ester and water. Mixtures can also be used.

Solid carriers, which may be used for dusts, wettable powders, water dispersible granules, or granules, include mineral fillers, such as silicas, calcite, talc, kaolin, montmorillonite or attapulgite. The physical properties may be improved by addition of highly dispersed silica gel or polymers. Carriers for granules may be
20 porous material, e.g. pumice, kaolin, sepiolite, bentonite; non-sorptive carriers may be calcite or sand.

The compositions can be formulated as concentrates which can subsequently be diluted by the user before application. The presence of small amounts of a carrier which is a surfactant facilitates this process of dilution. Thus, preferably the
25 compositions according to the invention preferably contain a surfactant. For example, the composition may contain two or more carriers, at least one of which is a surfactant. Such surfactants may be nonionic, anionic, cationic or zwitterionic.

The compositions of the invention may for example be formulated as wettable powders, water dispersible granules, dusts, granules, solutions, emulsifiable
30 concentrates, emulsions, suspension concentrates and aerosols. Wettable powders

-9-

usually contain 5 to 90% w/w of active ingredient and 3 to 10% w/w of dispersing and/or wetting agent and, where desirable, 0 to 10% w/w of stabilizer(s) and/or other additives such as penetrants or stickers. Dusts are usually formulated as a dust concentrate having a similar composition to that of a wettable powder but without a dispersant. Water dispersible granules are usually prepared to have a size from 0.15 mm to 2.0 mm and contain 0.5 to 90% w/w active ingredient and 0 to 20% w/w of additives such as stabilizers, surfactants, slow release modifiers and binding agents. Emulsifiable concentrates usually contain, in addition to a solvent or a mixture of solvents, 1 to 80% w/v active ingredient, 2 to 20% w/v emulsifiers and 0 to 20% w/v of other additives such as stabilizers, penetrants and corrosion inhibitors. Suspension concentrates usually contain 5 to 75% w/v active ingredient, 0.5 to 15% w/v of dispersing agents, 0.1 to 10% w/v of suspending agents such as protective colloids and thixotropic agents, 0 to 10% w/v of other additives such as defoamers, corrosion inhibitors, stabilizers, penetrants and stickers, and water or an organic liquid in which the active ingredient is substantially insoluble; certain organic solids or inorganic salts may be present dissolved in the formulation to assist in preventing sedimentation and crystallization or as antifreeze agents for water.

-10-

CLAIMS

1. A composition suitable for veterinary, agricultural or horticultural use which comprises at least one organic veterinarianally, agriculturally and/or
5 horticulturally active compound, and titanium dioxide and/or zinc oxide which has been doped with a second element and/or reduced zinc oxide.
2. A composition suitable for household use which comprises at least one organic biocide, and titanium dioxide and/or zinc oxide which has been doped with a second element and/or reduced zinc oxide.
- 10 3. A composition according to claim 1 or 2 wherein the dopant is manganese, vanadium, chromium or iron.
4. A composition according to claim 3 wherein the dopant is Mn^{3+} .
5. A composition according to any one of the preceding claims wherein the dopant is present in an amount from 0.05% to 10 mole %.
- 15 6. A composition according to claim 5 wherein the dopant is present in an amount from 0.5 to 2 mole % by weight.
7. A composition according to any one of the preceding claims which comprises doped titanium dioxide.
8. A composition according to any one of the preceding claims wherein
20 the titanium dioxide is in rutile form.
9. A composition according to claim 1 or 2 which contains reduced zinc oxide.
10. A composition according to any one of the preceding claims which comprises 0.5 to 20 mole % by weight of the oxide.
- 25 11. A composition according to any one of the preceding claims wherein the oxide has a particle size from 1 to 200 nm.
12. A composition according to any one of the preceding claims wherein the active compound is a herbicide, fungicide, insecticide, acaricide, miticide or rodenticide.

30

-11-

13. A composition according to claim 12 wherein the active compound is an insecticide.

14. A composition according to any one of the preceding claims which contains one or more of a filler, organic solvent or surfactant.

5 15. A composition according to any one of the preceding claims which is in the form of an aqueous or non-aqueous liquid, a powder, granules or tablet.

16. A composition according to claim 1 or 2 substantially as hereinbefore described.

10 17. Use of a doped TiO_2/ZnO and/or reduced zinc oxide as defined in any one of claims 1 to 9 to reduce the concentration of one or more veterinarily, agriculturally and/or horticulturally active compounds in a composition suitable for veterinary, agricultural, horticultural or household use.

15 18. Use of a doped TiO_2/ZnO and/or reduced zinc oxide as defined in any one of claims 1 to 9 to increase the shelf life of one or more veterinarily, agriculturally and/or horticulturally active compounds in a composition suitable for veterinary, agricultural, horticultural or household use.

19. A method of increasing the effectiveness of a composition suitable for veterinary, agricultural, horticultural or household use which comprises one or more organic veterinarily, agriculturally or horticulturally or household active
20 compounds, which comprises incorporating into the composition a doped TiO_2/ZnO and/or reduced zinc oxide as defined in any one of claims 1 to 9.

20. A method for treating an agricultural or horticultural species at a locus which comprises treating the locus with a composition as claimed in any one of claims 1 and 3 to 16.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GB2004/002191

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A01N25/22 A61K7/42		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 7 A01N A61K		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, PAJ, WPI Data, BIOSIS		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	PATENT ABSTRACTS OF JAPAN vol. 2000, no. 01, 31 January 2000 (2000-01-31) & JP 11 279019 A (SHISEIDO CO. LTD), 12 October 1999 (1999-10-12)	1-11, 14-19
Y	abstract	1-20
X	WO 99/60994 A (KNOWLAND JOHN SEBASTIAN ; ISIS INNOVATION (GB); DOBSON PETER JAMES (GB) 2 December 1999 (1999-12-02) cited in the application	1-11, 14-19
Y	page 3, line 18 - line 28 page 4, line 1 - page 5, line 10; claims 1,5,7	1-20
-/-		
<input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.		
* Special categories of cited documents : *A* document defining the general state of the art which is not considered to be of particular relevance *E* earlier document but published on or after the international filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the international filing date but later than the priority date claimed *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *&* document member of the same patent family		
Date of the actual completion of the international search 20 September 2004		Date of mailing of the international search report 29/09/2004
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Authorized officer Romano-Götsch, R

BEST AVAILABLE COPY

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GB2004/002191

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 01/40114 A (KNOWLAND JOHN SEBASTIAN ; ISIS INNOVATION (GB); DOBSON PETER JAMES (GB) 7 June 2001 (2001-06-07) cited in the application	1,3-11, 14-19
Y	page 3, line 1 - line 25 page 4, line 2 - line 10 page 6, line 9 - page 7, line 10	1-20
Y	US 6 149 843 A (CHEN JIN LING ET AL) 21 November 2000 (2000-11-21) column 2, line 61 - column 3, line 65	1-20
Y	EP 0 579 062 A (KRONOS TITAN GMBH) 19 January 1994 (1994-01-19) page 2, line 20 - line 25 page 2, line 33 - line 36	1-20
Y	DE 25 45 243 A (METALLGESELLSCHAFT AG) 21 April 1977 (1977-04-21) page 4, line 1 - line 9	1-20
A	WO 02/00023 A (KULLAR JATINDER SINGH ; ROSE SIMON ALEXANDER HANSON (GB); CIBA SPEC CH) 3 January 2002 (2002-01-03) page 3 - page 4; claims 1,13	1-20
E	WO 2004/058209 A (FLUTTER BARRY RICHARD ; KNOWLAND JOHN SEBASTIAN (GB); PARK GEORGE BARR) 15 July 2004 (2004-07-15) page 2 - page 5	1,3-11, 14-19

BEST AVAILABLE COPY

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB2004/002191

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
JP 11279019	A	12-10-1999	NONE	
WO 9960994	A	02-12-1999	AU 765456 B2 AU 4273299 A EP 1079796 A1 WO 9960994 A1 JP 2002516347 T	18-09-2003 13-12-1999 07-03-2001 02-12-1999 04-06-2002
WO 0140114	A	07-06-2001	AU 1539601 A BR 0016090 A CN 1433382 T EP 1233930 A1 WO 0140114 A1 JP 2003515518 T US 2003138386 A1 ZA 200204358 A	12-06-2001 29-10-2002 30-07-2003 28-08-2002 07-06-2001 07-05-2003 24-07-2003 01-09-2003
US 6149843	A	21-11-2000	US 5846554 A US 6015571 A AP 873 A AT 195216 T AU 711892 B2 AU 5340996 A BG 63522 B1 BG 101990 A BR 9604990 A CA 2219001 A1 CN 1185090 A , B CZ 9703401 A3 DE 69609712 D1 DE 69609712 T2 DK 824313 T3 EA 219 B1 EG 20936 A EP 0824313 A2 ES 2148749 T3 WO 9633611 A2 GR 3034610 T3 HU 9900466 A2 JP 11504030 T NO 974947 A NZ 305421 A OA 10530 A PL 323051 A1 PT 824313 T SK 145697 A3 TR 9701259 T1 US 6077522 A ZA 9603303 A US 5993842 A AT 167980 T AU 678074 B2 AU 8111094 A BG 62591 B1 BG 100562 A BR 9408051 A CA 2176513 A1 CN 1135160 A , B	08-12-1998 18-01-2000 11-09-2000 15-08-2000 21-10-1999 18-11-1996 30-04-2002 30-04-1998 06-04-1999 31-10-1996 17-06-1998 17-06-1998 14-09-2000 29-03-2001 18-12-2000 24-12-1998 28-06-2000 25-02-1998 16-10-2000 31-10-1996 31-01-2001 28-05-1999 06-04-1999 22-12-1997 28-01-1999 13-03-2001 02-03-1998 28-09-2001 05-08-1998 21-02-1998 20-06-2000 17-12-1996 30-11-1999 15-07-1998 15-05-1997 06-06-1995 31-03-2000 31-12-1996 24-12-1996 26-05-1995 06-11-1996

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GB2004/002191

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 6149843	A	CZ 9601396 A3 DE 69411583 D1 DE 69411583 T2 DK 730406 T3 EP 0730406 A1 ES 2119354 T3 WO 9513698 A1 HU 74707 A2 IL 111626 A	12-02-1997 13-08-1998 18-02-1999 28-06-1999 11-09-1996 01-10-1998 26-05-1995 28-02-1997 22-09-1999
EP 0579062	A 19-01-1994	DE 4222905 A1 US 5451252 A CA 2100224 A1 DE 59303420 D1 EP 0579062 A2	13-01-1994 19-09-1995 12-01-1994 19-09-1996 19-01-1994
DE 2545243	A 21-04-1977	DE 2545243 A1	21-04-1977
WO 0200023	A 03-01-2002	AU 7246401 A CA 2411579 A1 CN 1438837 T WO 0200023 A1 EP 1294230 A1 HU 0300656 A2 US 2003134910 A1	08-01-2002 03-01-2002 27-08-2003 03-01-2002 26-03-2003 28-07-2003 17-07-2003
WO 2004058209	A 15-07-2004	WO 2004058209 A2	15-07-2004

BEST AVAILABLE COPY